



PRIMOPTICS CO., LTD



ABOUT US


We Primoptics, pride ourselves as a company dedicating outdoor sports products and tactical accessories business by providing innovative and high-quality solutions for consumers. As an active advocator of the outdoor sports, we have always been dedicated in supplying high performance devices with high reliability and exquisite workmanship to the outdoor enthusiasts. With qualified products, reasonable prices and stylish designs, we have been in this business for over 16 years across the world, accumulating rich experience and high popularity. We are committed to offering a first-class service and products providing wonderful experience in all aspects of our business.



CHONGQING PRIMOPTICS CO., LTD

ADD: NO.19 YUNKAI ROAD, BEIBEI DIST, CHONGQING, CHINA
POSTALCODE: 400711

EMAIL: primo@primoptics.com; or pengrui@cqpengrui.com.cn;

 Primoptics-Binoculars-Riflescopes
WEB: <https://www.primoptics.com>





BN023

- Large Eyepiece
- Long Eye Relief
- **Aspherical Lens**
- Twist-Up Eyecup
- Adaptable to Tripod

MODEL NO.	SIZE	EXIT PUPIL DIA(MM)	EYE RELIEF (MM)	FOV (M@1000M)	NEAR FOCUS(M)	PRISM SYSTEM	WATERPROOF	NITROGEN FILLED
BN023	8X40WA	4.5	16	141	4.5	BK7 Porro	Water Resistant	No
BN023	10X50WA	4.5	16	123	5	BK7 Porro	Water Resistant	No

NEW



BN039



BN039



BN044

MODEL NO.	SIZE	EXIT PUPIL DIA(MM)	EYE RELIEF (MM)	FOV (M@1000M)	NEAR FOCUS(M)	PRISM SYSTEM	WATERPROOF	NITROGEN FILLED
Bn039	10X42	$\phi 4.2 \pm 10\%$	15	105	2.5	BAK4 ED	Yes	Yes
BN044	12X50	6.2	20	108	2.5	BAK4	Yes	Yes



RF006

Dimension 104*65*73mm Display Premium LCD
Weight 145g Power Source 3V CR2
Waterproof Rainproof Vibration Yes
Magnification 6X Slope On/Off Yes
Objectives Lens Diameter 21mm Coatings Multi-Coated
Extra Long Eye Relief 16mm Exit Pupil 4mm
Range 5-1,200 Yards To Golf Flag 400 Yards
Ranging Accuracy +/-1 Yard Field Of View 7.2°
Warranty 1Year



RF004

MODEL NO.	Magnification	Measuring range	Measuring accuracy	Measuring unit	Battery	Weight	Size
Rf004	6X	5-1500m	±1m	Meter or Yard	CR2-3V	152g	106*35*73mm



- 1 Magnification power 2-7X
- 2 Digital Zoom magnification, Max 3.5X
- 3 Angle Of View 9°
- 4 Objective Aperture 40mm
- 5 Exit Pupil Distance 20mm
- 6 F# for Objective lens 1.0
- 7 Full color day and night
- 8 Telescopic distance: 3m-∞
- 9 454X454 resolution AMOLED
- 10 OSD menu display
- 11 CMOS High-sensitivity Sensor
- 12 Size 1/1.8"
- 13 Resolution 2688X1520
- 14 Micro SD Card Support 4GB~256GB TF Card
- 15 Preview
- 16 Record H264 file in TF storage
- 17 Capture JPEG file in TF storage
- 18 Playback media file from TFstorage
- 19 External power supply - TypeC 5V/2A
- 20 Li-Po battery 3.7V/2000mah
- 21 Battery life: 3 hours working time
- 22 Low battery warning
- 23 modes (Preview, Playback, Menu)
- 24 Single frame Image Capture
- 25 Video image Record
- 26 Playback image
- 27 Auto Power Off (Off/5min/ 10min/15min)
- 28 Language: English
- 29 Format
- 30 OLED Brightness adjustment
- 31 Version
- 32 Size 175mmx68X50mm
- 33 Package USB cable/ Micro SD card/ Bag/Manual

NV011



SPOTTING SCOPE



PTSP004

PTSP008

- Professional Spotting Scope for Birding & Hunting
- Fully-Multi Coated Lens
- Large Diameter Eyepiece
- Twist-Up Eyecup System
- **Large Focusing Wheel**
- Water-Proof & Fog-Proof
- Tripod Included

MODEL NO.	SIZE	EXIT PUPIL DIA(MM)	EYE RELIEF (MM)	FOV (M@1000M)	NEAR FOCUS(M)	PRISM SYSTEM	WATERPROOF	NITROGEN FILLED
PTSP004	20-60X80	4-1.3	15	30-14	6	BK7 Porro	1.5M/3Min	Yes
PTSP008	16-48X65	4.3-1.5	19-16.5	46.5-24	6	BK4 Porro	1.5M/3Min	Yes



SPOTTING SCOPE



PTSP005

PTSP009

PTSP010

MODEL NO.	SIZE	EXIT PUPIL DIA(MM)	EYE RELIEF (MM)	FOV (M@1000M)	NEAR FOCUS(M)	PRISM SYSTEM	WATERPROOF	NITROGEN FILLED
PTSP005	20-60X60	3-1	14	31.5-16	6	Bk7 Porro	1.5M/3Min	Yes
PTSP009	9-27X56	6-2	20-17	80.5-40.2	2	BAK4 Roof	IPX6	Yes
PTSP010	12-36X50	4-2	20-16	51-29.7	3	BAK4 Porro	IPX5	Yes

DOT SIGHT



MODEL NO.	MAGNIFICATION	OBJ DIA(MM)	WINDAGE ADJ. RANGE	ELEVATION ADJ. RANGE	RETICLE TYPE	DOT COLOR	BATTERY TYPE	MOUNT TYPE
RD040	1X	25	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	QD Picatinny
RD024	1X	30	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	QD Picatinny
RD015	1X	20	±30MOA	±30MOA	MULTI RETICLE	RED	CR2032	Picatinny
RD026	1X	30	±30MOA	±30MOA	MULTI RETICLE	RED	AA	Picatinny
RD018	1X	28	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny
RD016	1X	19X25	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny



DOT SIGHT



MODEL NO.	MAGNIFICATION	OBJ DIA(MM)	WINDAGE ADJ. RANGE	ELEVATION ADJ. RANGE	RETICLE TYPE	DOT COLOR	BATTERY TYPE	MOUNT TYPE
RD017	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	AAA	Picatinny
RD021	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny
RD035	1X	20	±25MOA	±40MOA	SINGLE DOT	RED	CR2032	Picatinny
RD031	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	AAA	Picatinny
RD030	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	AAA	Picatinny
RD047	1X	22	±45MOA	±45MOA	SINGLE DOT	RED	CR2032	Picatinny

SOLAR POWER



MODEL NO.	MAGNIFICATION	OBJ DIA(MM)	WINDAGE ADJ. RANGE	ELEVATION ADJ. RANGE	RETICLE TYPE	DOT COLOR	BATTERY TYPE	MOUNT TYPE
RD028	1X	30	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	QD Picatinny
RD034	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	QD Picatinny
RD019	1X	20	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny
RD042	1X	22.5X15	±30MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny
RD041	1X	20X20	±25MOA	±25MOA	SINGLE DOT	RED	CR1220	Picatinny
RD029	1X	28X38	±25MOA	±30MOA	SINGLE DOT	RED	CR2032	Picatinny



MAGNIFIER



MODEL NO.	MAGNIFICATION	OBJ DIA(MM)	WINDAGE ADJ. RANGE	ELEVATION ADJ. RANGE	RETICLE TYPE	DOT COLOR
MF006	3X	26	28	37	60	88.5
MF009	4X	26	28	37	60	108
MF001	3X or 5X	26	28	30	75	76
MF004	3X	26	28	30	59	104
MF007	3X	28	28	30	67	75
MF008	1.5X~5X	24	26	28	65	119

EDGELESS IMAGE



- Edgeless Image
- Super Bright Clear
- Long Eye Relief

MODEL NO.	MAGNIFICATION	OBJ DIA (MM)	TUBE DIA (MM)	EXIT PUPIL (MM)	EYE RELIEF (MM)	FIELD OF VIEW @100YDS(FT)	LENGTH(MM)
RS085	1-5X	24	30	17.5-5.23	115-95	73.3-19.9	270
RS077	1-8X	24	30	15-3	120-105	14.7-105	272
RS078	1-10X	24	30	15-2.4	120-90	95-11.6	272
RS115	1-4X	24	30	24-6	110-90	73.3-23.62	262
RS119	1-7X	24	30	15-3.4	110-95	15.2-105	272



FIRST FOCAL PLATE



MODEL NO.	MAGNIFICATION	OBJ DIA (MM)	TUBE DIA (MM)	EXIT PUPIL (MM)	EYE RELIEF (MM)	FIELD OF VIEW @100YDS(FT)	LENGTH(MM)
RS120	5-30X	56	34	8.6-2.2	110-90	4°22'-0°50'	388
RS116	2-10X	44	34	12.5-3.6	102-86	10°50'-1°58'	318
RS117	2-12X	44	30	12.5-2.7	105-88	10°40'-1°45'	318
RS080	4-14X	44	30	11-3.14	93-90	27.2-7.5FT	345
RS081	1-6X	24	30	8-3.5	91-89	115.2-20.5FT	268

EDGELESS IMAGE



2-10X40E



3-15X50E



6-24X50AOE



3-9X40E



3-9X40



4-16X40AO



MODEL NO.	MAGNIFICATION	OBJ DIA (MM)	TUBE DIA (MM)	EXIT PUPIL (MM)	EYE RELIEF (MM)	FIELD OF VIEW @100YDS(FT)	LENGTH(MM)
RS015	2-10X	40	30	20.4	100-90	41.9-10.47	342
RS015	3-15X	50	30	16.6-3.3	95-85	36.2-7.2	386
RS084	6-24X	50	30	8.3-2.1	85-70	19.4-6.3	390
RS083	3-9X	40	30	13.3-4.44	75-70	37.8-12.6	293
RS082	3-9X	40	25.4	13.3-4.44	75-70	37.8-12.6	293
RS121	4-16X	40	25.4	10-2.5	85-70	31.5-8.4	334



RIFLE SCOPE



4-16X50AO



3-18X50SFE



1-4X24E



1-6X24E



3-12X44SF



Compact

MODEL NO.	MAGNIFICATION	OBJ DIA (MM)	TUBE DIA (MM)	EXIT PUPIL (MM)	EYE RELIEF (MM)	FIELD OF VIEW @100YDS(FT)	LENGTH(MM)
RS089	4-16X	50	30	11-2.75	91-89	28.8-7.2	360
RS088	3-18X	50	30	16.6-2.77	91-89	32.9-5.76	340
RS113	1-4X	24	30	20-5.8	91-89	96.1-24.1	249
RS070	1-6X	24	30	8-3.5	91-89	115.2-20.5	268
RS103	3-12X	44	30	14.5-3.7	95-90	36.7-9.2	240

RIFLE SCOPE



4-12X40AO



2-7X32



4-12X40



3-9X40



4X32



3-9X32AO

MODEL NO.	MAGNIFICATION	OBJ DIA (MM)	TUBE DIA (MM)	EXIT PUPIL (MM)	EYE RELIEF (MM)	FIELD OF VIEW @100YDS(FT)	LENGTH(MM)
RS015	4-12X	40	25.4	10-3.33	70-65	31.4-10.5	318
RS114	2-7X	32	25.4	16-4.6	80-70	48.3-17.9	261
RS118	4-12X	40	25.4	10-3.3	70-65	30.5-10.5	328
RS109	3-9X	40	25.4	13.3-4.4	90-75	36.8-13.1	303
RS079	4X	32	25.4	8	80	27.3	293
RS087	3-9X	32	25.4	10.5-3.5	85-83	34.5-12.6	200



BINOCULARS



BN031

- Unique Zoom System for Roof Binoculars
- Metal-Made Focusing Wheel
- IPX4 Rain-Proof



BN040



BN028



MODEL NO.	SIZE	EXIT PUPIL DIA(MM)	EYE RELIEF (MM)	FOV (M@1000M)	NEAR FOCUS(M)	PRISM SYSTEM	WATERPROOF	NITROGEN FILLED
BN031	10-20X50	5-1.7	14-12	78-37	2.8	BAK4 Roof	Water Resistant	No
BN040	8X42	4.2	20	105	2.5	BAK4 Roof	Yes	Yes
BN028	12X50	4.2	11	110	2.5	BK7 Roof	Yes	Yes
BN034	10X26	2.6	11	96	3	BK7 Roof	1.5M/3Min	Yes



A017



MFM001



SM013



SM010



SM025



A009



BP076

Carbon Fiber
Swivel Style
6-9' / 9-15'



BP054

360° Rotate
6-9'

